

LIST OF FIGURES

2.1	Schematic of the Galileo dust detector	10
2.2	Ulysses measurements of the Jovian dust streams.	11
2.3	Galileo measurements of the Jovian dust streams in interplanetary space.	12
2.4	Sketch of one of Galileo’s orbital trajectories.	13
2.5	Galileo fluxes for all 29 orbits.	15
2.6	Galileo measurements for the G17 flyby.	16
2.7	Dust impact rates from the Cassini-Galileo dual dust stream measurements performed on December 30, 2000.	16
3.1	Lomb-Scargle periodogram of some 1996-1997 Galileo rate data.	22
3.2	Lomb-Scargle periodogram of 1998 Galileo rate data.	23
3.3	Lomb-Scargle periodogram of some 1999-2000 Galileo rate data.	24
3.4	Lomb-Scargle periodogram of Galileo G28 rate data.	26
3.5	Lomb-Scargle periodogram of Cassini data from 2000: Days 248–274.	27
3.6	A continuous wavelet transform (CWT) of the Galileo dust impact rate data during 2000: Days 217–247.	28
3.7	Lomb-Scargle periodogram of Galileo 1996-1997 rate data, noting frequency signatures.	29
3.8	A synthetic dataset.	34
3.9	An FFT of the previous synthetic dataset.	35
4.1	A sketch of Jupiter’s magnetosphere.	38
4.2	A sketch of the middle and outer Jovian magnetosphere.	42
4.3	Model plasma electron and ion temperatures.	47
4.4	Model plasma densities.	48
4.5	The coupling between the torus, magnetosphere and ionosphere.	52
4.6	Ratio β for some cosmically significant materials.	55

5.1	Empirical method of calculating charging times.	66
5.2	Equilibrium potentials for a 10 nm-sized dust particle.	68
5.3	Charging currents for a 0.01 μm -sized dust particle from 5 to 20 R_J . . .	69
5.4	Charging currents for a 0.01 μm -sized dust particle from 20 to 70 R_J . . .	70
6.1	Trajectories for Jovian dust stream particles of different sizes, with a fixed charge.	76
6.2	Trajectories for Jovian dust stream particles of different sizes, with a variable charge.	77
6.3	Trajectories of SiO_2 Jovian dust stream particles of different sizes. . .	79
6.4	Trajectories of SO_x Jovian dust stream particles of different sizes. . .	80
6.5	Lorentz force over the gravitational force for SiO_2 particles.	85
6.6	Lorentz force over the gravitational force for SO_x particles.	86
6.7	Forces calculated for a 4 nm-sized dust particle from 5 to 20 R_J	88
6.8	Forces calculated for a 4 nm-sized dust particle from 20 to 70 R_J . . .	89
6.9	Velocities vs. distance from Jupiter for particles with a fixed charge. . .	90
6.10	Velocities vs. distance from Jupiter for SO_x different-sized particles with a variable charge.	91
6.11	Velocities vs. distance from Jupiter for SO_x 5, 8 nm sized particles with a variable charge.	92
6.12	Dust particle trajectories for a 6 nm-radius particle released at 6.2 R_J . . .	96
6.13	Dust particle trajectories for different sized particles released at 6.2 R_J . . .	97
7.1	Jupiter in the solar wind.	100
8.1	Free and coupled parameters.	104

LIST OF TABLES

Frequencies Related to Charged Dust	18
3.1 Time-evolution of Frequencies, Galileo Orbit-by-Orbit	21
4.1 Jupiter's Magnetic Field	39
4.2 Magnetic Field O ₄ Model Gauss Coefficients	43
4.3 Magnetic Field O ₆ Model Gauss Coefficients	44
4.4 Jupiter Plasma Representative Numbers	49
4.5 Dust Particle Sizes and Densities from Divine et al., 1986	53
5.1 Grain Material Secondary Electron Emission Parameters	63
5.2 Currents at Galileo's December 30, 2000 Location.	71
5.3 Currents at Cassini's December 30, 2000 Location	72
6.1 Sensitivity to Magnetic Field Expansion	87
6.2 Dust Material Explorations for the Cassini-Galileo Joint Measurements	95
D.1 Typical tensile and corresponding field strengths.	127

ACKNOWLEDGMENTS

This manuscript is dedicated to my father, Alexander Graps, whose boundless sense-of-life never fails to fill me with light, love, and laughter.

To my PhD committee: Prof. Drs. Dietrich Lemke, Franz Wegner, Bernd Jähne, and, especially, to Eberhard Grün, who is the primary reason that I moved 7000 miles, towing my faithful library behind me.

To my dust charging mentor, Mihály Horányi, whose valuable guidance is too high to estimate. To my colleagues/friends/teachers: Antal Juhász, Håkan Svedhem, Gerhard Drolshagen, Eduard Igenbergs, and Tony McDonnell, who each played an important part in my thesis learning process.

I am grateful for the warmth and wonderful support of other people, and I wish to acknowledge them here, as well. To the loving mothers in my life: Nina and Carolyn. To my special woman friends: Maureen, Brooke, Angelika, Dina, Angela, Natasha, Sibylle, and Tanya. To my caring friends across the sea and over the years: David, Wayne, Spike, Jesper, and Nick. To Marco and his inspiring photographs. To my worldwide network of engaging minds, the extropians.

And last, but certainly not least, to the Heidelberg Dust Group, which is, without a doubt, the nicest and most supportive work environment that I've ever had. Thank you.